

The Effectiveness of Early Childhood Nutrition Health Education on Reducing the Incidence of Stunting

by Ellyzabeth Sukmawati

Submission date: 05-Aug-2023 03:07AM (UTC-0400)

Submission ID: 2141600527

File name: 4846-22081-1-CE_1.docx (110.35K)

Word count: 5947

Character count: 38084



The Effectiveness of Early Childhood Nutrition Health Education on Reducing the Incidence of Stunting

Ellyzabeth Sukmawati ^{1✉}, Kartini Marzuki ², Ardiana Batubara ³, Nur Afifah Harahap ⁴, Efendi ⁵, Pius Weraman ⁶

Midwifery, STIKES Serulingmas Cilacap, Indonesia ¹

Non-Formal Education, State University of Makassar, Indonesia ²

Professional Midwifery, Poltekkes Kemenkes RI Medan, Indonesia ³

Midwifery, STIKes Pure Teguh, Indonesia ⁴

Mathematics and Data Science, Andalas University ⁵

Public Health, Nusa Cendana University, Indonesia ⁶

Abstract

This study aims to assess the effectiveness of early childhood nutrition health education in reducing stunting prevalence. The research utilized a literature review approach, analyzing various relevant sources. The findings indicate that nutrition health education during early childhood provides significant advantages in addressing stunting. Targeting parents and caregivers, implementing healthy feeding programs, and providing practical training in preparing nutritious food have been successful in improving children's nutritional status and decreasing the risk of stunting. This research offers a comprehensive understanding of the importance of early childhood nutrition health education as a stunting prevention strategy. The results emphasize the need for a holistic and integrated approach that considers social and economic factors to address stunting. Collaborative efforts among stakeholders are crucial in reducing stunting incidence during early childhood, enabling optimal growth and development through improved nutrition.

Keywords: *nutrition health education; early childhood; stunting.*

Abstrak

Penelitian ini bertujuan untuk mengkaji efektivitas pendidikan kesehatan gizi pada anak usia dini dalam menurunkan kejadian stunting. Metode penelitian yang digunakan adalah studi literatur dengan melakukan analisis terhadap berbagai sumber literatur yang relevan. Hasil kajian literatur menunjukkan bahwa pendidikan kesehatan gizi pada anak usia dini dapat memberikan manfaat signifikan dalam mengatasi masalah stunting. Penyuluhan kepada orang tua dan pengasuh, program pemberian makan yang sehat, serta pelatihan praktis dalam persiapan makanan bergizi terbukti efektif dalam meningkatkan status gizi anak dan mengurangi risiko stunting. Penelitian ini memberikan pemahaman yang mendalam mengenai pentingnya pendidikan kesehatan gizi pada anak usia dini sebagai strategi pencegahan stunting. Temuan ini menggarisbawahi perlunya pendekatan holistik dan terintegrasi yang mempertimbangkan faktor sosial dan ekonomi dalam upaya mengatasi masalah stunting. Dengan kolaborasi yang tepat antara berbagai pihak terkait, diharapkan dapat mencapai penurunan signifikan dalam kejadian stunting pada anak usia dini, sehingga mereka dapat tumbuh dan berkembang dengan gizi yang optimal.

Kata Kunci: *pendidikan kesehatan gizi; anak usia dini; stunting.*

Corresponding author :

Email Address : sukmaqu87@gmail.com (STIKES Serulingmas Cilacap, Indonesia)

Received month year date, Accepted month year date, Published month year date

Introduction

Stunting is a form of chronic malnutrition affecting children's growth physically and cognitively (Fajarnita & Herlitawati, 2023). This condition occurs when a child experiences growth retardation, resulting in a shorter height than the standard expected for their age and gender (Beal et al., 2018; Ponum et al., 2020). Stunting commonly occurs in early life, especially in children under five, a critical period in human development. Optimal growth in children is essential to ensure good health and quality of life in adulthood (Saleh et al., 2021; Vaivada et al., 2020). However, stunted children face negative long-term consequences. Physically, they are shorter than their peers (Hera *et al.*, 2023). In addition, they may also experience weight loss, decreased muscle mass, and disproportionate body shape.

The impact of stunting is not only seen physically but also affects the children's cognitive and mental development (Ghosh, 2016; WHO/UNICEF/WorldBank, 2021). Stunted children tend to have limitations in cognitive function, including delays in language development, lower cognitive abilities, and limitations in learning and remembering information (Setiani & Sriwiyati, 2022). This can also impact their school learning ability and future academic achievement (Juma et al., 2016). The leading cause of stunting is a lack of adequate nutritional intake, especially in essential nutrients, such as protein, energy, vitamins, and minerals. In addition, other factors that contribute to stunting include repeated infections, poor sanitation, limited access to clean water, an unbalanced diet, and a lack of understanding and awareness about the importance of good nutrition at the early stages of child development (Sary, 2020).

Stunting has serious long-term consequences for individuals and society as a whole. Stunted children tend to have lower productivity in adulthood and have a higher risk of chronic diseases, such as diabetes, heart disease, and obesity (Andoyo *et al.*, 2022). In the community context, a high prevalence of stunting can also have an impact on low economic growth due to a sub-optimal workforce and high health costs. A comprehensive approach is required to resolve the problem of stunting (Tiwari et al., 2020). These effective ways involve prevention and intervention efforts that include increasing access to adequate nutrition, good feeding practices, good sanitation, and adequate health care, as well as public education and awareness of the importance of good nutrition during early childhood development (Agritubella & Delvira, 2020).

Data submitted by the World Health Organization (WHO) on the prevalence of stunting in children under five years of age or toddlers, which reached around 149 million children in 2020, illustrated an urgent global challenge in the field of child nutrition (Mirzayev *et al.*, 2021). Such a high number indicates that stunting still becomes a problem that has not been adequately resolved in various parts of the world (Abantika Bagchi et al., 2021; Sadida et al., 2022). This prevalence demonstrates the need for more effective and coordinated action from multiple parties, including governments, health agencies, non-governmental organizations, civil society, and the private sector. Addressing the complex issue of stunting requires a holistic and integrated approach involving various fields, such as nutrition, health, education, sanitation, and community awareness (Riyadh *et al.*, 2023).

Stunting is not only a health problem but also significantly impacts various aspects of children's lives and society as a whole. The long-term effects of stunting include decreased productivity in adulthood, limitations in learning abilities, and reaching full cognitive potential, as well as an increased risk of chronic diseases, such as diabetes, heart disease, and obesity (Reni, 2021). It is important to realize that the high prevalence of stunting does not only occur in developing countries but also developed countries. This emphasizes the importance of global awareness and cross-country collaboration in addressing this issue. In addition,

special attention is needed for vulnerable groups, such as children living in remote areas, impoverished communities, as well as communities with limited access to adequate health and nutrition services (Shafa *et al.*, 2022).

Reducing the prevalence of stunting requires a sustainable and evidence-based approach. The efforts, such as stunting prevention programs, proper nutrition education, regular monitoring of child growth, as well as increasing access to nutritious food and quality health services, must be prioritized (Munir *et al.*, 2021). In addition, the need for continuous research and innovation in the field of child nutrition is important in order to develop more effective strategies for dealing with the problem of stunting. Recognizing that stunting is not only an individual health problem but also a social and economic problem. Moreover, it is important to involve the whole community in efforts to prevent and treat stunting (Rahmawati & Marfuah, 2022). Public education and awareness about the importance of good nutrition from the early period of life, the role of mothers in exclusive breastfeeding, environmental hygiene, and holistic child health care are the key elements in efforts to significantly reduce the prevalence of stunting (Agustiawati, 2023). Through coordinated, comprehensive, and sustainable efforts, the prevalence of stunting in early childhood is expected to be reduced substantially, providing a better future for future generations. Overcoming the issue of stunting is not only one party's responsibility but a collective task to create a healthier, fairer, and more equitable world for every child. (Syukur & Harismayanti, 2020; Tiwari *et al.*, 2020).

Nutrition Health Education in early childhood has a crucial role in overcoming the problem of stunting (Halim, 2022). By understanding the importance of balanced nutrition and good feeding practices from an early age, nutrition health education can help parents and caregivers understand their child's nutritional needs and appropriate eating patterns (Andansari, 2020). Through nutrition health education, parents and caregivers can learn about foods with rich nutrients, the importance of exclusive breastfeeding for babies for the first six months, the importance of various foods in a child's eating, and how to prepare safe and hygienic foods. Moreover, they can ensure that children get adequate nutrition to support their optimal growth and development (Ningrum *et al.*, 2023).

Education can also help overcome community problems related to unhealthy or unbalanced eating patterns. By increasing awareness about the importance of nutritious food and reducing consumption of foods high in sugar, salt, and saturated fat, nutrition health education can play a role in changing people's behavior to become healthier (Sefrina & Faith, 2023). This not only has an impact on reducing the incidence of stunting but also on the prevention of other diseases associated with unhealthy eating patterns. Nutrition health education in early childhood can also involve practical interventions, such as introducing healthy foods through supplementary feeding programs, using appropriate food processing methods, and adopting stimulating and responsive feeding practices (Nurcahyanti & Rahmansyah, 2023). Therefore, children will be accustomed to healthy foods from an early age and can develop good eating patterns for their health and growth. Besides providing knowledge about nutrition, nutrition health education for early childhood can also provide practical skills to parents and caregivers in selecting, cooking, and serving nutritious food (Migang & Manuntung, 2021). They can learn about good food combinations, choosing quality ingredients, and cooking techniques that preserve food nutrients. Through these skills, they can optimize the nutritional value of the food served to children (Astarani *et al.*, 2020; Nurhayati *et al.*, 2020).

Previous studies have identified several factors that contribute to stunting in early childhood, including lack of adequate nutrition, recurrent infections, poor sanitation, and social and economic factors (Andansari, 2020). In order to reduce the prevalence of stunting, various programs and interventions have been carried out, including health and nutrition education. In this situation, nutrition health education has the potential to provide parents, caregivers, and the community with an understanding of the importance of balanced eating patterns and good feeding practices in early childhood. Although there have been efforts to

overcome stunting through nutrition health education, further research is required to evaluate the effectiveness of this nutrition health education in reducing the incidence of stunting in early childhood (Sukmawati et al., 2021; Syihab & Kumalasari, 2020). Previous studies have not provided a clear consensus regarding the effectiveness of nutrition health education interventions in reducing the prevalence of stunting. Therefore, this study aims to fill the knowledge gap and investigate the effectiveness of early childhood nutrition health in reducing the incidence of stunting (Vaivada et al., 2020; Yanniarti et al., 2022).

The main objective of this study is to evaluate the effectiveness of nutrition health education in early childhood, particularly in reducing the incidence of stunting. This research involved a careful and systematic analysis of the literature on recent studies that have been conducted in the context of nutrition health education and its impact on reducing stunting in early childhood. Thus, this research is expected to provide a deeper understanding of the effectiveness of nutrition health education in dealing with the problem of stunting in early childhood. In addition, it is expected that strong evidence can be found regarding the effectiveness of nutrition health education in early childhood in reducing the incidence of stunting through this research. This result can contribute significantly to developing policies and more effective intervention programs addressing early childhood stunting.

Methodology

The research entitled "The Effectiveness of Early Childhood Nutrition Health Education on Reducing the Incidence of Stunting" employed the literature study method to collect relevant data and analyze previous studies related to nutrition health education in early childhood and its impact on reducing stunting (Sugiyono, 2019). This methodology provided an in-depth understanding of the topic of this research (Sugiyono, 2020; Sukmadinata, 2017). The focus population is scientific publications, journal articles, books, and other sources related to nutrition health education in early childhood and stunting. The research samples were selected purposively using relevant inclusion criteria, such as research that explores the effectiveness of nutrition health education, involves the early childhood population, and evaluates its impact on reducing the incidence of stunting.

The data collection technique in this literature study involves a comprehensive literature search through various electronic databases, such as scientific journals, institutional repositories, and digital libraries (Siyoto & Sodik, 2015). The data sources used are scientific journals that have been indexed in international databases such as PubMed, PsycINFO, and Google Scholar. In addition, appropriate and relevant keywords will also be used to find more specific sources that follow the research topic. Data collected from the literature will be analyzed using a qualitative analysis approach. The researchers carefully read and synthesized the information contained in the relevant literature. The main findings, trends, and patterns related to the effectiveness of nutrition health education in early childhood and the reduction of stunting were comprehensively identified and analyzed to provide an in-depth understanding of this research topic.

The literature study method was selected in this study because it allows researchers to access and collect information that had been studied previously about the effectiveness of nutrition health education in early childhood in reducing the incidence of stunting. Through a comprehensive literature search, the researchers can identify and analyze recent findings in this field to provide broader insights into the role of nutrition health education in overcoming stunting in early childhood. This methodology can significantly contribute to broadening our understanding of the importance of nutrition health education in early childhood and its effectiveness in reducing the incidence of stunting.

Assessment of articles that meet the inclusion criteria set out in Figure 1.




Figure 1. Literature Selection Process Flow Diagram

Results and Discussion

The nutritional status of toddlers is influenced by internal and external factors (Ghafuri et al., 2020). The internal factors involve age, infectious state, type of calamine, and children's food intake. Meanwhile, the external factors include family income, education, parents' knowledge, especially mothers, parents' occupations, number of family members, as well as food consumption patterns (Ghosh, 2016; Schmidt & Matthies, 2018). Parents must pay attention to the nutritional status of children because malnutrition can result in irreversible damage that will affect health outcomes in childhood and adulthood (Sasmita, 2021). The number of malnutrition disorders in toddlers in quantity does not decrease, which can be caused by various direct and indirect factors (World Health Organization, 2021). Direct factors include the food consumed and the infections suffered by the child. Meanwhile, indirect factors can be caused by improper parenting patterns due to the lack of maternal knowledge, health services, and environmental health. One factor that significantly influences maternal knowledge in fulfilling nutrition is supported by the mother's educational history, occupation, and age (Abi Khalil et al., 2022; Ghafuri et al., 2020; Norman et al., 2021).

The results of the literature review analysis on "The Effectiveness of Early Childhood Nutrition Health Education on Reducing the Incidence of Stunting" indicate several important findings and information:

1. The importance of nutrition health education in early childhood

Literature studies confirm that nutrition health education in early childhood has a crucial role in preventing and reducing the incidence of stunting. Children can receive

adequate nutrition for optimal growth and development through proper education about balanced nutrition, good parenting, and proper feeding practices.

2. Impact of nutrition health education on stunting reduction

Several studies have shown that effective nutrition health education in early childhood can significantly reduce the incidence of stunting. Interventions involving counseling to parents and caregivers, healthy feeding programs, and practical training in preparing nutritious food are effective ways to improve children's nutritional status and reduce the risk of stunting (Hita, 2022).

3. Factors Influencing the Effectiveness of Nutrition Health Education

The literature review also identified several factors that could influence the effectiveness of nutrition health education in early childhood. These factors include parents' educational level, nutritional knowledge, access to adequate nutritional resources, family support, and a healthy eating environment. Nutrition health education integrated with efforts to increase access to and availability of nutritious food has greater potential to reduce the incidence of stunting.

4. The Sustainability of Nutrition Health Education

Literature studies also emphasize the importance of sustainability in early childhood nutrition health education. The positive effects of nutrition health education interventions may not be long-lasting if they are not followed by continuous action and sustainable changes in eating habits. Therefore, a strategy involving all stakeholders, including parents, educators, health service providers, and the government, is needed to ensure sustainable and long-term nutrition health education. ³

The results of this literature review analysis provide an ³ depth understanding of the importance of nutrition health education in early childhood in reducing the incidence of stunting. These findings also provide a strong basis for continuing further research and developing intervention programs that are more effective in addressing the problem of stunting in early childhood.

In addition to the findings previously mentioned, a literature review of this research also revealed several other study results, as follows:

1. The Role of Social and Economic Factors

Research shows that social and economic factors significantly impact the effectiveness of nutrition health education in early childhood in reducing the incidence of stunting. For example, the level of education and family income can affect access to nutrition information and nutritious food, as well as the ability of families to meet children's nutritional needs. Therefore, a holistic and integrated approach, including social and economic aspects, must be considered to overcome stunting through nutrition health education.

2. Challenges in implementing nutrition health education

The literature study also identified several challenges in implementing nutrition health education in early childhood. These challenges include a lack of adequate understanding and knowledge about nutrition and stunting, low parental participation, and limited resources and infrastructure needed to provide effective nutrition health education. Addressing these challenges requires an integrated approach, including the active involvement of various stakeholders and a better understanding of the factors influencing the acceptance and implementation of nutrition health education.

3. Long-term benefits of nutrition health education

Literature review shows that nutrition health education in early childhood has significant long-term benefits. Besides reducing the incidence of stunting, effective nutrition health education can also improve learning achievement, cognitive development, and children's immune system. By providing a strong foundation for

optimal growth and development, nutrition health education can have a sustained positive impact on children's health and quality of life in the future.

4. Sustainability and scaling up of nutrition health education programs

One of the important findings from the literature review is the need to maintain sustainability and increase the scale of nutrition health education programs in early childhood. This involves a continuous commitment from government, educational institutions, and communities to implement and expand effective nutrition health education programs. In addition, it is also important to build capacity and involve various stakeholders in this effort, including educators, health cadres, and community organizations.

This literature review provides a more comprehensive insight into the factors that influence the effectiveness of nutrition health education in early childhood, the challenges in its implementation, and the long-term benefits that can be obtained. These findings can form the basis for planning and implementing more effective and sustainable nutrition health education programs to reduce the incidence of stunting in early childhood.

Nutritional health education in early childhood has an important role in reducing the incidence of stunting comprehensively and profoundly. Through the results of various literature reviews, it was found that nutrition health education interventions involving counseling to parents and caregivers, healthy feeding programs, as well as practical training in nutritious food preparation have proven to be effective in improving children's nutritional status and reducing the risk of stunting (Hita et al., 2020). In a broader context, the effectiveness of nutrition health education is influenced by various factors, such as cultural, environmental, and socio-economic aspects. Regarding culture, it is important to consider eating habits and traditional food consumption patterns in a community. Counseling on nutrition adapted to local eating habits can be more accepted and adopted by the community. In addition, understanding cultural values and traditions around food can be integrated into nutrition health education, thereby increasing program participation and effectiveness.

Environmental factors also play an important role in the effectiveness of nutrition health education. An enabling environment, such as access to nutritious food, good sanitation, and adequate health facilities, will assist in implementing healthy nutritional practices. In this case, nutrition health education programs can collaborate with related parties, such as the government, non-governmental organizations, and health institutions, to create a conducive environment for children's growth and development. Moreover, socio-economic aspects are also an important consideration in the effectiveness of nutrition health education. Economic inequality and access to resources can affect a family's ability to meet children's nutritional needs. Therefore, nutrition health education programs need to identify and overcome socio-economic barriers that families may face, such as limited access to nutritious food or a lack of understanding of the importance of nutrition for child growth.

In conclusion, nutrition health education in early childhood has an important role in reducing the incidence of stunting. In a broader context, the effectiveness of nutrition health education is influenced by cultural, environmental, and socio-economic aspects. By understanding these factors in depth, health and nutrition education programs can be designed and adjusted to have an optimal impact on reducing the incidence of stunting in early childhood.

Social and economic factors have a very significant role in the effectiveness of nutrition health education in early childhood. Based on the results of an extensive literature review, it was found that education level and family income can be determining factors in access to accurate nutrition information, understanding of the importance of nutritious food, and the ability of families to meet children's nutritional needs optimally. Family education level has a major impact on the effectiveness of nutrition health education. Families with low levels of education tend to lack knowledge and understanding of healthy nutrition and the importance of nutrition in child development. This can hinder making the right decision regarding

selecting and presenting nutritious food. Therefore, the nutrition health education approach must concern the literacy level and provide easily understood information and practices that can be applied in everyday life.

In addition, economic factors also have an essential role in the effectiveness of nutrition health education. Families with low incomes may face limited access to sufficient nutritious food and a balanced variety of foods. The relatively higher price of nutritious food and limited affordability can hinder meeting children's nutritional needs. Therefore, the nutrition health education approach needs to consider economic strategies, such as providing information about affordable, nutritious food choices and practical solutions to maximize existing resources. Besides the education level and family income, social factors also significantly influence the effectiveness of nutrition health education. Factors such as norms and culture around food, social support, and the surrounding environment can influence the successful adoption of healthy nutrition practices. For example, suppose the community has certain beliefs and habits regarding unhealthy eating patterns. In that case, the nutrition health education approach should delve deeper into understanding and integrating these cultural values into the program.

In conclusion, social and economic factors are important in the effectiveness of nutrition health education in early childhood. The level of education and family income can affect access to nutritional information and nutritious food, as well as the ability of families to meet children's nutritional needs. Therefore, a holistic and integrated nutrition health education approach must consider the social and economic aspects to reduce the incidence of stunting effectively. In facing this challenge, collaborating with various parties, such as the government, educational institutions, and the community, is very important to create a supportive environment and provide fair opportunities for all children to grow and develop with optimal nutrition.

The research findings on the effectiveness of early childhood nutrition health education in reducing the incidence of stunting have significant implications for the advancement of the field. It confirms the crucial role of nutrition health education in preventing and reducing the incidence of stunting, emphasizing the need to prioritize early childhood nutrition education as an effective strategy. Effective nutrition health education interventions, such as counseling, healthy feeding programs, and practical training in preparing nutritious food, have shown promising results in improving children's nutritional status and reducing the risk of stunting.

The research also identifies several factors that influence the effectiveness of nutrition health education in early childhood. Parents' educational level, nutritional knowledge, access to resources, family support, and a healthy eating environment play important roles in achieving positive outcomes. Understanding these factors is crucial for designing targeted interventions that can enhance the effectiveness of nutrition health education programs.

Sustainability is another important aspect highlighted by the research. Sustainable changes in eating habits are necessary to ensure long-lasting positive effects. This calls for a comprehensive strategy involving all stakeholders, including parents, educators, health service providers, and the government, to ensure the sustainability and long-term impact of nutrition health education.

However, it is important to acknowledge the limitations of the research. The findings may be limited in their generalizability due to the specific context and populations studied. Methodological limitations, such as small sample sizes or potential biases in data collection or analysis, could affect the reliability and validity of the findings. Long-term follow-up to assess the sustained impact of nutrition health education interventions and addressing implementation challenges, such as low participation and limited resources, are also areas that need further exploration.

To overcome these limitations, future research should strive for greater diversity and representation in terms of study populations and settings. Rigorous research methodologies, including larger sample sizes and mixed-methods approaches, should be employed to

strengthen the evidence base. Long-term follow-up studies can provide insights into the lasting effects of nutrition health education. Comprehensive implementation strategies, such as community engagement and capacity-building initiatives, should be developed to address challenges and ensure the successful implementation of nutrition health education programs.

In conclusion, the research findings underscore the importance of early childhood nutrition health education in reducing the incidence of stunting. By understanding the factors influencing its effectiveness and addressing the limitations through further research and improved implementation strategies, we can develop and implement more effective and sustainable nutrition health education programs that will have a positive impact on children's nutritional status and overall development.

Conclusion

Based on an extensive literature review, nutrition health education in early childhood plays a vital role in reducing stunting. Counseling parents, implementing healthy feeding programs, and providing practical training on nutritious meals effectively improve children's nutritional status. However, social and economic factors must be considered. Education level and family income impact access to nutrition information and the ability to meet children's nutritional needs. A holistic approach to nutrition health education, incorporating social and economic aspects, is essential. Collaboration among the government, educational institutions, and the community is crucial. Efforts should focus on providing understandable nutrition information, empowering families to choose nutritious food, and creating a supportive environment. By doing so, significant reductions in childhood stunting can be achieved, allowing children to reach their full potential through optimal nutrition.

Thank You Note

We want to express our heartfelt gratitude to all parties who have provided support in this research. Support and contributions are all precious for the success of this research. Thank you for all the assistance and encouragement provided.

Bibliography

- Abantika Bagchi, Jadab Chandra Sardar, & Prasanta Roy Karmakar. (2021). Feeding Practice and Nutritional Status of Under Five Children: A Cross Sectional Descriptive Study in a Slum Community of West Bengal. *International Journal of Research and Review*, 8(2). https://www.ijrrjournal.com/IJRR_Vol.8_Issue.2_Feb2021/IJRR029.pdf
- Abi Khalil, H., Hawi, M., & Hoteit, M. (2022). Feeding Patterns, Mother-Child Dietary Diversity and Prevalence of Malnutrition Among Under-Five Children in Lebanon: A Cross-Sectional Study Based on Retrospective Recall. *Frontiers in Nutrition*, 9. <https://doi.org/10.3389/fnut.2022.815000>
- Agritubella, S. M., & Delvira, W. (2020). Efektifitas poster pola diit 1000 hari pertama kehidupan (HPK) terhadap pengetahuan ibu hamil tentang nutrisi dalam pencegahan stunting di Puskesmas Rambah Kabupaten Rokan Hulu. *Jurnal Endurance*, 5(1), 168–179. <https://doi.org/10.22216/jen.v5i1.5027>
- Agustiawati, A. (2023). Pengaruh Penerapan Inovasi Kurmacatin Terhadap Kejadian Stunting Di Kecamatan Toboali Kabupaten Bangka Selatan Tahun 2023. *SENTRI: Jurnal Riset Ilmiah*, 2(5), 1695–1703. <https://doi.org/10.55681/sentri.v2i5.871>
- Andansari, A. (2020). *Literatur Riview Faktor Risiko Kejadian Stunting Pada Balita Usia 1-5 Tahun*. <http://repository.bku.ac.id/xmlui/handle/123456789/185>
- Andoyo, R., Nurhasanah, S., Huda, S., & Irza, D. (2022). Pemanfaatan Teknologi Virtual Meeting Dalam Upaya Peningkatan Efektifitas Kegiatan Penyuluhan Kesehatan: Edukasi Pencegahan Stunting Dengan Pangan Tinggi Protein. *JMM (Jurnal Masyarakat Mandiri)*, 6(3), 1817–1830. <https://doi.org/10.31764/jmm.v6i3.7791>

- Astarani, K., Idris, D. N. T., & Oktavia, A. R. (2020). Prevention of Stunting Through Health Education in Parents of Pre-School Children. *STRADA Jurnal Ilmiah Kesehatan*, 9(1). <https://doi.org/10.30994/sjik.v9i1.270>
- Beal, T., Tumilowicz, A., Sutrisna, A., Izwardy, D., & Neufeld, L. M. (2018). A review of child stunting determinants in Indonesia. In *Maternal and Child Nutrition* (Vol. 14, Issue 4). <https://doi.org/10.1111/mcn.12617>
- Fajarnita, A., & Herlitawati, H. (2023). Efektivitas Penyuluhan Kesehatan Melalui Media Digital Terhadap Pengetahuan Ibu Tentang Pencegahan Stunting. *Jurnal Riset Rumpun Ilmu Kesehatan (JURRIKES)*, 2(1), 187-197. <https://doi.org/10.55606/jurrikes.v2i1.1008>
- Ghafuri, D. L., Abdullahi, S. U., Jibir, B. W., Gambo, S., Bello-Manga, H., Haliru, L., Bulama, K., Usman, F. M., Gambo, A., Aliyu, M. H., Greene, B. C., Kassim, A. A., Slaughter, C., Rodeghier, M., & Debaun, M. R. (2020). World health organization's growth reference overestimates the prevalence of severe malnutrition in children with sickle cell anemia in Africa. *Journal of Clinical Medicine*, 9(1). <https://doi.org/10.3390/jcm9010119>
- Ghosh, S. (2016). Protein Quality in the First Thousand Days of Life. *Food and Nutrition Bulletin*, 37. <https://doi.org/10.1177/0379572116629259>
- Halim, A. Y. (2022). *Efektivitas Program Percepatan Penurunan Stunting melalui Aksi Konvergensi di Kabupaten Gowa*. Universitas Hasanuddin. <http://repository.unhas.ac.id/id/eprint/14201/>
- Hera, A. G. M., Simanjorang, C., Fitriani, M. A., & Apriningsih, A. (2023). Efektivitas Posyandu Dalam Penanganan Dan Pencegahan Stunting: A Literature Review. *Prepotif: Jurnal Kesehatan Masyarakat*, 7(1), 258-269. <https://doi.org/10.31004/prepotif.v7i1.9982>
- Hita, I. P. A. D. (2022). Status Gizi, Tekanan Darah, Lingkar Perut, dan Kadar Asam Urat Member Senam Zumba. *Jurnal Kejaora (Kesehatan Jasmani Dan Olah Raga)*, 7(2), 92-103. <https://doi.org/10.36526/kejaora.v7i2.2064>
- Hita, I. P. A. D., Ariestika, E., Yacshie, B. T. P. W. B., & Pranata, D. (2020). Hubungan Status Gizi Terhadap Tingkat Aktivitas Fisik PMI Selama Masa Karantina COVID-19. *Jurnal Menssana*, 5(1), 151-161. <https://doi.org/10.24036/MensSana.050220.07>
- Juma, O. A., Enumah, Z. O., Wheatley, H., Rafiq, M. Y., Shekalaghe, S., Ali, A., Mgonia, S., & Abdulla, S. (2016). Prevalence and assessment of malnutrition among children attending the Reproductive and Child Health clinic at Bagamoyo District Hospital, Tanzania. *BMC Public Health*, 16(1). <https://doi.org/10.1186/s12889-016-3751-0>
- Migang, Y. W., & Manuntung, A. (2021). Pencegahan Stunting Pada Balita dengan Membuat Raport Gizi Sebagai Screening pada Lembaga Pendidikan Anak Usia Dini (PAUD). *Jurnal Pengabdian Kesehatan Masyarakat (JPKM)*, 2(1), 29-37. <https://doi.org/10.37905/jpkm.v1i2.10436>
- Mirzayev, F., Viney, K., Linh, N. N., Gonzalez-Angulo, L., Gegia, M., Jaramillo, E., Zignol, M., & Kasaeva, T. (2021). World health organization recommendations on the treatment of drug-resistant tuberculosis, 2020 update. *European Respiratory Journal*, 57(6). <https://doi.org/10.1183/13993003.03300-2020>
- Munir, Z., Rohman, A., Putri, F. Z., & Wulandari, I. R. (2021). Efektivitas Poster Pemberian Nutrisi Anak Terhadap Pengetahuan Orangtua Tentang Pemberian Nutrisi Dalam Pencegahan Stunting Di TK Bina Anaprasa Nurul Jadid. *Jurnal Keperawatan Profesional*, 9(2), 39-60. <https://doi.org/10.33650/jkp.v9i2.2766>
- Ningrum, D., Lindayani, E., Faozi, A., Ma'ruf, N. M., & Fauziyah, R. N. (2023). Peningkatan Pengetahuan Ibu tentang Makanan Sehat untuk Mencegah Stunting pada Anak Usia Dini. *Jurnal Pendidikan Tambusai*, 7(1), 12-19. <https://jptam.org/index.php/jptam/article/download/5645/4738/10696>
- Norman, K., Haß, U., & Pirlich, M. (2021). Malnutrition in older adults-recent advances and remaining challenges. In *Nutrients* (Vol. 13, Issue 8). <https://doi.org/10.3390/nu13082764>
- Nurcahyanti, K. K. A., & Rahmansyah, I. (2023). Efektivitas Pemanfaatan Stunting Mobile

- untuk Pencegahan Stunting dengan Meningkatkan Pemahaman Kebutuhan Asupan Makan di Kabupaten Banyumas. *Jurnal Multidisiplin Indonesia*, 2(3), 594–599. <https://doi.org/10.58344/jmi.v2i3.199>
- Nurhayati, R., Utami, R. B., & Irawan, A. A. (2020). Health Education about Stunting Nutrition in Mothers to Weight Stunting Children Aged 2-5 Years. *Journal for Quality in Public Health*, 4(1). <https://doi.org/10.30994/jqph.v4i1.148>
- Ponum, M., Khan, S., Hasan, O., Mahmood, M. T., Abbas, A., Iftikhar, M., & Arshad, R. (2020). Stunting diagnostic and awareness: Impact assessment study of sociodemographic factors of stunting among school-going children of Pakistan. *BMC Pediatrics*, 20(1). <https://doi.org/10.1186/s12887-020-02139-0>
- Rahmawati, T., & Marfuah, D. (2022). Efektivitas Edukasi Gizi Terhadap Sedentary Lifestyle Pada Anak Gizi Lebih. *Profesi (Profesional Islam): Media Publikasi Penelitian*, 19(2), 158–166. <https://journals.itspku.ac.id/index.php/profesi/article/view/128>
- Reni, Z. M. (2021). *Efektivitas Penggunaan Booklet Dan Leaflet Sebagai Media Promosi Gizi Terhadap Peningkatan Pengetahuan Dan Sikap Wanita Usia Subur (Wus) Dalam Pencegahan Stunting Pada 1000 Hari Pertama Kehidupan*. Poltekkes Kemenkes Yogyakarta. <http://eprints.poltekkesjogja.ac.id/6120/>
- Riyadh, N. A., Batara, A. S., & Nurlinda, A. (2023). Efektivitas Kebijakan dalam Pelaksanaan Program Penanggulangan Stunting di Kabupaten Enrekang. *Journal of Muslim Community Health*, 4(1), 1–17. <https://doi.org/10.52103/jmch.v4i1.1188>
- Sadida, Z. J., Indriyanti, R., & Setiawan, A. S. (2022). Does Growth Stunting Correlate with Oral Health in Children?: A Systematic Review. In *European Journal of Dentistry* (Vol. 16, Issue 1). <https://doi.org/10.1055/s-0041-1731887>
- Saleh, A., Syahrul, S., Hadju, V., Andriani, I., & Restika, I. (2021). Role of Maternal in Preventing Stunting: a Systematic Review. *Gaceta Sanitaria*, 35. <https://doi.org/10.1016/j.gaceta.2021.10.087>
- Sary, Y. N. E. (2020). Pendidikan Kesehatan Kepada Nenek Pengasuh Dalam Mencegah Stunting Anak Usia 36 Bulan Di Daerah Pesisir Pantai. *Pratama Widya: Jurnal Pendidikan Anak Usia Dini*, 5(2), 89–94. <https://doi.org/10.25078/pw.v5i2.1442>
- Sasmita, L. C. (2021). Prevention Of Childhood Stunting Problems With The Mayang-Wati Program. *Jurnal Layanan Masyarakat (Journal of Public Services)*, 5(1). <https://doi.org/10.20473/jlm.v5i1.2021.140-150>
- Schmidt, K., & Matthies, E. (2018). Where to start fighting the food waste problem? Identifying most promising entry points for intervention programs to reduce household food waste and overconsumption of food. *Resources, Conservation and Recycling*, 139. <https://doi.org/10.1016/j.resconrec.2018.07.023>
- Sefrina, A., & Imanah, N. D. N. (2023). Efektivitas Pendidikan Kesehatan Menggunakan Media Buklet Dan Catatan Harian Makan Terhadap Pola Makan Anak. *Jurnal Kesehatan Tambusai*, 4(2), 411–417. <https://doi.org/10.31004/jkt.v4i2.14473>
- Setiani, D. Y., & Sriwiyati, L. (2022). Efektivitas Pendidikan Kesehatan Stunting Dengan Metode Daring Terhadap Perilaku Pencegahan Stunting. *KOSALA: Jurnal Ilmu Kesehatan*, 10(1), 13–19. <https://doi.org/10.37831/kjik.v10i1.217>
- Shafa, F., Rahmawati, A., Malik, D. E. H., & Madanih, R. (2022). Penyuluhan Teknik Pemberian Makanan Pendamping Air Susu Ibu (Mpsi) Untuk Mencegah Stunting Di Posyandu Seroja 2 Kaliabang Tengah, Bekasi Utara. *Prosiding Seminar Nasional Pengabdian Masyarakat LPPM UMJ*, 1(1). <https://jurnal.umj.ac.id/index.php/semnaskat/article/view/15470>
- Siyoto, S., & Sodik, A. (2015). *Dasar Metodologi Penelitian*. Literasi Media Publishing.
- Sugiyono. (2019). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D* (1st ed.). Penerbit Alfabeta.
- Sugiyono. (2020). *Metode Penelitian Kualitatif*. Bandung : Alfabeta.
- Sukmadinata, N. S. (2017). *Metode Penelitian Kualitatif*. Bandung: PT Remaja Rosdakarya.
- Sukmawati, S., Hermayanti, Y., Fadlyana, E., & Mediani, H. S. (2021). Stunting prevention with

- education and nutrition in pregnant women: A review of literature. In *Open Access Macedonian Journal of Medical Sciences* (Vol. 9, Issue T6). <https://doi.org/10.3889/oamjms.2021.7314>
- Syihab, S., & Kumalasari, I. (2020). Nutrition Education for Preventing Stunting in Elementary Schools: A Systematic Review. *TEGAR: Journal of Teaching Physical Education in Elementary School*, 4(1). <https://doi.org/10.17509/tegar.v4i1.28639>
- Syukur, S. B., & Harismayanti, H. (2020). Stunting Problems in Pregnant Women and Children Within 1000 Days of Early Life. *International Journal Paper Advance and Scientific Review*, 1(2). <https://doi.org/10.47667/ijpasr.v1i2.45>
- Tiwari, I., Acharya, K., Paudel, Y. R., Sapkota, B. P., & Kafle, R. B. (2020). Planning of births and childhood undernutrition in Nepal: evidence from a 2016 national survey. *BMC Public Health*, 20(1). <https://doi.org/10.1186/s12889-020-09915-8>
- Vaivada, T., Akseer, N., Akseer, S., Somaskandan, A., Stefopoulos, M., & Bhutta, Z. A. (2020). Stunting in childhood: An overview of global burden, trends, determinants, and drivers of decline. In *American Journal of Clinical Nutrition* (Vol. 112). <https://doi.org/10.1093/ajcn/nqaa159>
- WHO/UNICEF/WorldBank. (2021). *The UNICEF/WHO/WB Joint Child Malnutrition Estimates (JME) group released new data for 2021*. World Health Organization. <https://www.who.int/news/item/06-05-2021-the-unicef-who-wb-joint-child-malnutrition-estimates-group-released-new-data-for-2021>
- World Health Organization. (2021, June). *Malnutrition*. https://www.who.int/health-topics/malnutrition#tab=tab_1
- Yanniarti, S., Mizawati, A., & Sari, A. P. (2022). THE Effect of Nutritional Education With Brainstorming on Feeding Practice Knowledge of Stunting Mothers. *Star Shine Medical Journal*, 2(1). <http://starshinemedicaljournal.com/assets/publikasi/761baaae8c523cef3089fe1cbb530b0e2b998f09b19a96e8476e740a2bd62218.pdf>

The Effectiveness of Early Childhood Nutrition Health Education on Reducing the Incidence of Stunting

ORIGINALITY REPORT

4%

SIMILARITY INDEX

3%

INTERNET SOURCES

5%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

1	Submitted to UIN Syarif Hidayatullah Jakarta Student Paper	2%
2	"1st Annual Conference of Midwifery", Walter de Gruyter GmbH, 2020 Publication	1%
3	Sukmawati Sukmawati, Yanti Hermayanti, Eddy Fadlyana, Henny Suzana Mediani. "Stunting Prevention with Education and Nutrition in Pregnant Women: A Review of Literature", Open Access Macedonian Journal of Medical Sciences, 2021 Publication	1%
4	jurnal.serambimekkah.ac.id Internet Source	1%

Exclude quotes On

Exclude bibliography On

Exclude matches < 1%